

The E3SM Biogeochemistry Group

Kate Calvin and Susannah Burrows
(on behalf the whole E3SM BGC team)

Outline

- Progress toward phase 2 goals:
  - V1 Simulations
  - V2 development and integration
- Actionable Science Metrics
- Coordination with externally funded projects

Goal: Understand Earth system variability and change

- The RCP8.5 results in:
  - Increased air temperature,
  - Soil drying in North America,
  - Increased forest fires in the US, and
  - Permafrost thaw.
- These changes could reduce terrestrial carbon storage and ocean carbon uptake.
  - **Nutrient availability** limits biological CO_2 uptake in both land and ocean.
  - The land sink is substantially modified by human-driven land use change (e.g., conversion of forests to crops).



Goal: Simulations, predictions, and projections to support DOE's energy mission

- Earth system changes have implications for energy, including:
  - Increases in energy use for air conditioning,
  - Changes in electricity generation (thermoelectric, hydropower, wind, and solar),
  - Changes in crop yields and bioenergy potential,
  - Energy system disruptions (e.g., power outages).



Source: IPCC AR5 WG3 Ch7

Science Questions

- Overarching Question:
  - How do the biogeochemical cycles interact with other Earth system components to influence energy-sector decisions?



V1 Simulations

Science Questions

- Overarching Question:
  - How do the biogeochemical cycles interact with other Earth system components to influence energy-sector decisions?

- V1 Question:
  - What are the effects of nitrogen and phosphorous on climate-biogeochemistry interactions, and how sensitive are these interactions to model structural uncertainty?

Carbon and nutrient cycles in the DOE's Earth System Model

- **Objective:**
  - Introduce, describe and evaluate the introduction of carbon and nutrient cycle simulations into E3SM (E3SMv1.1-BGC).
- **Approach:**
  - Evaluate the model using observational benchmarks.
  - Characterize ecosystem-climate responses in a standard set of simulations, including quantifying the effects of structural uncertainty and nutrient limitations.
- **Results:**
  - The evaluation showed significant improvements to the land-based carbon cycle compared to previous models. Important biases were identified in the ocean carbon cycle, which will be improved in future versions of E3SM.



E3SMv1.1-BGC allows researchers to model the Earth's carbon cycle and how it interacts with land use and energy systems.

Burrows, et al., 2020. "The DOE E3SM v1.1 biogeochemistry configuration: description and simulated ecosystem-climate responses to historical changes in forcing," *Journal of Advances in Modelling Earth Systems, 12, e2019MS001766. https://doi.org/10.1029/2019MS001766* .

Estimating future ecosystem-climate feedbacks using the E3SM v1.1 BGC model

Objective

- Quantify the effects of changes in CO_2 concentration (top figure) and climate (bottom figure) on terrestrial carbon uptake

Approach

- Run a series of simulations isolating CO_2 and climate, following the C4MIP protocol
- Repeat these simulations and analysis with alternative representation of BGC and without P limitations (not shown)

Results

- CO_2 fertilization feedback (β_{land}) weakens over time due to increasing nutrient limitation, resulting in less C uptake.
- Climate feedback (γ_{land}) strengthens over time as increased respiration overtakes additional nutrient mineralization, resulting in more C release.

Feedback variation over time (1920-2100)



Source: Thornton, et al., in prep.

Progress: v1 Papers

Title (or topic)	Lead Author	Status
The DOE E3SM coupled model v1.1 biogeochemistry configuration: overview and evaluation of coupled carbon-climate experiments	Susannah Burrows	Published
Investigating controls on sea ice algal production using E3SMv1.1-BGC	Nicole Jeffery	Published
Implications of Phosphorous on the carbon cycle	Peter Thornton	Analyzing simulation results
Nutrient limitations on the carbon cycle	Qing Zhu	Analyzing simulation results
Observationally-inferred nutrient limitations and perturbation responses	Bill Riley	Planning/Scoping
Analysis of BGC impacts on atmospheric dynamics	Bryce Harrop	Analyzing simulation results
The implications of structural uncertainty on carbon cycle dynamics	Ben Bond-Lamberty	Not Started



V2 Development and Integration

Science Questions

- Overarching Question:
  - How do the biogeochemical cycles interact with other Earth system components to influence energy-sector decisions?

- V2 Question:
  - What are the implications of different energy futures for the biogeochemical cycle through changes in land use land cover, water availability, and extreme events?

Energy Developments for v2

- Couple the Global Change Analysis Model (GCAM) with the E3SM
  - Implement a new component in the coupler
  - GCAM to E3SM: LULCC, CO_2 emissions, Non-CO_2 emissions/concentrations
  - E3SM to GCAM: changes in land productivity



= Complete, = In Progress

Land/River Model Developments for v2

- Developments for the core simulations:
  - Soil erosion
  - Stream temperature*
  - Vegetation scheme
  - Variable soil thickness

- Developments for sensitivity simulations:
  - Vegetation dynamics using the Functionally Assembled Terrestrial Ecosystem Simulator (FATES)*
  - Crop model, with explicit representations of maize, wheat, and soybean

Stream Temperature



Simulated (red, black) and observed (blue) stream temperature for different river basins. Simulated temperatures are with (red) and without (black) water management.

Li, H.-Y., et al. (2015), Modeling stream temperature in the Anthropocene: An earth system modeling approach, JAMES.

* Stream temperature and FATES will be run in offline mode for v2

● = Complete, ● = In Progress

Ocean, Ice, and Atmosphere Developments for V2

- Ocean & Ice:
  - Incorporate MARBL, a modular framework for representing biogeochemistry, into MPAS-O
  - Improvements to ocean physics, including Redi mixing
  - Improved river nutrient inputs
  - Black carbon and dust deposition on sea ice
  - Super cycling of tracer advection

Marine Biogeochemistry Library (MARBL) Schematic



- Atmosphere:
  - Fixes to conserve carbon

● = Complete, ● = In Progress

Simulation Plan

- Model configuration:
  - Regionally-refined model, branching from water cycle
  - Active biogeochemistry in the atmosphere, land, ocean, and sea ice

- Simulation modes:
  - One-way coupling (CMIP-like)
  - Two-way coupling, with human-Earth system interactions

BGC Simulation Modes



Simulation Plan

Fossil Fuel CO_2 Emissions



Cropland and Forest Cover



Simulation Plan

- To understand the effect of model features and forcing factors, we will perform a series of land-only, ocean-only, and coupled model sensitivity experiments, including simulations:
  - With different initial conditions,
  - With and without FATES (offline land model only),
  - With and without explicit crops, and
  - With and without RRM.

Timeline


Model Development
Spin up
Historical
Future
Sensitivity
Ocean Only
Land Only
Coupled
Coupled
Coupled
Coupled
Land
Oct 2020
Jan 2021
Apr 2021
Jul 2021
Oct 2021
Jan 2021
Apr 2021



Actionable Science Metrics

Energy Metrics

- Stream temperature
- Wind speed:
  - Output at hub height
  - Saved at 3-hourly frequency





Coordination with externally funded projects

Coordination with other ESMD projects

- FAN ammonia emissions (Peter Hess)
  - PR completed and handed off to E3SM for integration.
- Improved dust emissions and iron coupling (Natalie Mahowald, Tami Bond)
  - Scientifically complete; component-level testing underway by E3SM POC.
- Fire emissions of BC/OC, phosphorus (Jim Randerson)
  - Scientifically complete, but no PR yet.
- Initialization of ocean BGC (Francois Primeau)
  - They are developing accelerated spin-up of the ocean carbon cycle (based on previous work) and also extending to the land carbon cycle
- InterFACE (Joel Rowland)
  - Benthic BGC being implemented by E3SM staff member, with plans to use in v3 model

Coordination with other BER projects

- RUBISCO (RGMA funded)
  - We use ILAMB to benchmark ELM and plan to use IOMB in the future to benchmark marine BGC, both of which are RUBISCO-developed.
  - We coordinate with RUBISCO on simulations, as they run the E3SM BGC model as part of their project
- Global Change Intersectoral Model System (MSD funded)
  - We use GCAM in the E3SM v2 model, which is developed under GCIMS
  - We are starting to think about the potential for coordinated experiments in the future.
- NGEE-Tropics (TES funded)
  - We coordinate FATES development and analysis.



Thank you!